

Rapid Electroplating Process, Inc SAFETY DATA SHEET



Conforms to: 29CFR 1900.1200 App D
Complies with Canadian WHMIS MSDS Requirements
Based on CCOHS: A Brief Summary of Canadian Requirements (Apr 2014)
Conforms to Regulation (EC) No.453/2010/EU (REACH)

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

Product Identification:	Nickel Plating Materials: Nickel Coatalyte #310-B Nickel Anode #530-B, 540-B, or 550-B
Product Use:	Selective Electroplating
Manufacturer:	Rapid Electroplating Process, Inc. 2901 W. Soffel Ave. Melrose Park, IL 60160 USA
Telephone	00-1-708-344-2504 (9:00 A.M. -4:30 PM, CST/CDT, M-F)
Emergency telephone:	In U.S.--CHEMTREC 1-800-424-9300 (24 Hrs) Outside U.S.-- 001-703-527-3887 (call collect)
Date of Issue (Version):	Jan 2018

CANADIAN SUPPLIER
GEORGE M. FRASER, LTD.
1815 Ironstone Manor, Unit #11
PICKERING, ONTARIO L1W 3W9
TEL: (905) 420-6555 FAX: (905) 420-4333
24HR. EMERGENCY TEL: (613) 996-6666

2. HAZARDS IDENTIFICATION

Note Solid metallic anodes are generally classified as “articles” and do not constitute a hazardous material in benign, solid form under the definitions of the OSHA Hazard Communication Standard (29 CFR 1910.1200) or DOT/IATA transportation rules. However, some hazardous elements can be formed as a part of their normal use in selective electroplating. Although not considered a normal end use of our anodes, hazardous conditions can also be created by machining/welding/etc. the anode creating dust/fume or other conditions. The following classification information and warnings are for the hazardous elements which may be released in conjunction with the associated RAPID coatalyte (electrolyte) during normal use in selective electroplating.

Unless noted, hazard information presented here is based on the properties of the full strength constituent chemicals with RAPID product concentrations > 1 wt% (>0.1 wt% if identified as carcinogenic). This product contains diluted forms of the chemicals which should be taken into account when evaluating the hazards of the product as a whole.

Hazard	Category	Hazard	Category
Acute Toxicity	--	Reproductive Hazard	--
Oral	Not Classified (ATE Product LD50)	Germ Cell Mutagenicity	2 (Nickel Compounds)
Dermal	Unknown	Reproductive Toxicity	Unknown
Inhalation Dusts/Mists	Unknown	Lactation	Unknown
Skin Corrosion	2 (pH>2, in vitro test)	Target Organ Toxicity	--
Serious Eye Damage/Irritation	2 (pH>2, in vitro test)	Single Exposure	Eyes, skin, respiratory system, mucous membranes
Carcinogenicity	1 (Nickel Compounds-IARC/NTP)	Chronic Exposure	Nasal cavities, lungs, skin
Respiratory/Skin Sensitizations	1B (Potential for sensitization dermatitis)	Aspiration Hazard	Unknown

Hazard Category	Signal Word	Precautionary Statements:	Hazard Symbol(s) (GHS):
1A (Carcinogenicity)	Danger	May cause cancer	
2 (Skin Corrosion/Irritation)	Warning	Causes skin irritation	
1 (Hazardous to Environment)	Caution	May impact the environment	

Hazard Statements (US-GHS):

ID	Hazard Statement
EUH210	Safety data sheet available on request.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled

ID	Hazard Statement
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

Precautionary Statements (US-GHS):

ID	Precautionary Statement
P102	Keep out of reach of children
P103	Read label before use
P201	Obtain special instructions before use
P220	Keep/Store away from clothing/cyanides/combustible materials
P233	Keep container tightly closed
P234	Keep only in original container
P235	Keep cool
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P262	Do not get in eyes, on skin, or on clothing
P264	Wash exposed skin thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P301+311	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician
P302+352	IF ON SKIN: Wash with soap and water
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P332+313	If skin irritation occurs: Get medical advice/attention
P337+313	If eye irritation persists get medical advice/attention
P370	In case of fire use extinguishers suitable for surrounding fire.
P405	Store locked up
P501	Dispose of contents/waste/container according to national/state/local regulations

Hazards Not Otherwise Classified	None known.
Ingredients with Unknown Toxicity	None >1%

3. COMPOSITION/INFORMATION ON INGREDIENTS

Anode (Nickel Anode #530-B, 540-B, or 550-B):

Chemical Name	Common Name	CAS-No	Concentration (Wt%)
Nickel (Metal)	Anode	7440-02-0	>99.5
Dynel (acrylo), Woven	Sleeve_y1	Not Applicable (Dynel)	Not Applicable

Note The sleeve serves to carry and maintain the plating chemicals between the metallic anode and the workpiece as well as provide electrical contact insulation between the metallic anode and the workpiece. As such, it is not expected to participate in chemical reactions which will evolve hazardous chemicals during theselective plating process.

Coatalyte/Activator (Nickel Coatalyte #310-B):

Chemical Name	Common Name	CAS-No	Concentration (Wt%)
Nickel Sulfate Hexahydrate	-	7786-81-4 (Anhydrous)/10101-97-0 (Hexahydrate)	< 10
Ammonium Citrate, Dibasic	Diammonium Hydrogen Citrate	3012-65-5	< 20
Boric Acid	Orthoboric Acid	10043-35-3	< 5
Sulfamic Acid	-	5329-14-6	< 10
Components not designated as hazardous or <1 wt% or carcinogen <0.1 wt%	Various	Various	> 55

Note Because of manufacturing variances and possible product improvements, the compositions and physical properties listed here should be considered representative. The values listed should not be construed as specifications.

4. FIRST AID MEASURES

Description of First Aid Measures:	
General Information:	Move to fresh air; flush affected area with water (especially under eyelids if eyes affected); remove contaminated clothing; treat for shock as necessary. Never give anything by mouth to an unconscious person.
Following Inhalation:	Move to fresh air. If breathing stops, give artificial respiration/oxygen as appropriate. Call physician.
Following Eye contact:	Rinse with clear water, especially under eyelid. Consult Physician.
Following Skin contact:	Wash affected area with soap and water. Consult physician if irritation occurs.

Following Ingestion:	Call a poison control center (PCC)/physician/emergency responders immediately and follow instructions. If victim is conscious: Rinse mouth. If directed, administer water or milk and/or oxygen if symptoms develop. Do not administer emetic or induce vomiting. Never give anything by mouth to an unconscious person. If victim has stopped breathing: Call a poison control center (PCC)/physician/emergency responders immediately and follow instructions.
Most Important Symptoms and Effects	--
Acute:	Irritation and in extreme cases, chemical burns.
Delayed:	Skin contact with nickel compounds may cause sensitization or allergic reactions that may be accentuated by heat and humidity ('nickel itch').
Indication of Immediate Medical Attention and Special Treatment Needed:	Persistent irritation/chemical burns. Consult physician.
Note to physicians:	Nothing specific known.

5. FIRE-FIGHTING MEASURES

Extinguishing Media:	As appropriate for surrounding fire.
Extinguishing Media Which must not be used for safety reasons:	As appropriate for surrounding fire.
Hazardous combustion products:	On extreme heating beyond dryness: ammonium chloride fumes, metal oxides, sulfur oxides, ammonia fumes and/or HCl gas.
Special exposure hazards arising from the substance or mixture:	If material is free to mix with water, mixing may result in acidic nickel water runoff.
Conditions of Flammability:	Not flammable (aqueous solution). See Section 9: Physical and Chemical Properties.
Advice for fire-fighters:	Wear self-contained breathing apparatus.
Additional information:	Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Control access to spill area. Ensure adequate ventilation and avoid direct contact with material.
Environmental precautions:	Comply with all national, regional and local regulations for ultimate disposal of acidic nickel waste solution. Can be neutralized with calcium oxide (lime) or sodium carbonate (soda ash).
Methods for containment:	Use inert, absorbent material.
Methods for clean-up	Confine material in appropriately marked container. After pickup, clean affected area with mild alkaline (baking soda, etc.)
Additional information:	Dispose of in accordance with local, regional and national regulations.

7. HANDLING AND STORAGE

Precautions for safe handling:	--
Handling:	DO NOT TAKE INTERNALLY. USE IN WELL-VENTILATED AREA. DO NOT MIX WITH OTHER CHEMICALS. Keep container closed when not in use. Keep away from children. Bright Nickel Coatalyte #310B may give off some ammonia odor or sulfur oxides during use.
Usage:	To reduce the possibility of injury by splatter or obstruction of ventilation/air movement, do not crowd workpiece with body or face. Avoid conditions that could allow workpiece to: bend/spring-back and "flick" solution; or drop into puddled solution and splash.
Storage:	Store/use in ventilated areas and avoid temperature extremes. Keep away from foodstuff, cyanide compounds, alkalis, reactive metals and other incompatible materials. Do not store near combustible/flammable materials (in the event of fire and container rupture, there is the potential for acidic nickel solution runoff from fire-fighting water).
Specific end use(s):	Recommendations: Observe instructions for use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values:

Chemical Name	ACGIH TWA	ACGIH STEL	OSHA PEL
Ammonium Citrate, Dibasic	Not Listed.	Not Listed.	Not Listed.
Boric Acid	2 mg/m ³ - Inhalable fraction	6 mg/m ³	Not Listed.
Nickel (Metal)	1.5 mg/m ³ - as Ni, Inhalable Fraction	Not Listed.	1 mg/m ³ - as Ni
Nickel Compounds, Soluble	0.1 mg/m ³ - as Ni, Inhalable Fraction	Not Listed.	1 mg/m ³ - as Ni
Nickel Sulfate Hexahydrate	0.1 mg/m ³ - as Ni, Inhalable Fraction	Not Listed.	1 mg/m ³ - as Ni
Sulfamic Acid	Not Listed.	Not Listed.	Not Listed.

Note
Under normal conditions of evaporation, only the water phase is expected to evaporate leaving the soluble salts behind. Any TWA is thus believed to be meaningful only for the abnormal case in which the solution as a whole is introduced into the air as an aerosol.

Exposure controls:	--
Engineering Controls:	Local exhaust.
Personal protective equipment:	As appropriate for conditions of use: Chemical aprons/suits, eye wash fountain, safety shower.
Respiratory protection:	NIOSH approved dust/mist respirator.
Eye protection	Chemical splash goggles/face shield. Avoid use of contact lenses.

Hand protection:	Gloves, rubber, e.g., butyl or neoprene.
Skin protection	As appropriate for conditions of use: Rubber aprons/suits
Environmental exposure controls:	Maintain levels below community environmental protection thresholds.
General hygiene considerations:	DO NOT TAKE INTERNALLY. Keep away from eyes and out of open wounds. Practice good industrial/personal hygiene and safety practice; do not smoke/eat/drink in area of use; wash hands after use; wash clothing/materials that may have come in contact with chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Anode (Nickel Anode #530-B, 540-B, or 550-B):

Physical state:	Solid	Vapour pressure:	Not Applicable
Appearance	Metallic	Vapor density:	Not Applicable
Color:	Silvery Grey	Relative Density:	8.1
Odor:	No identifiable odor.	Solubility (in water):	Not Applicable
pH:	Not Applicable	Partition coefficient: n-octanol/water:	Not Applicable
Melting point / melting range:	1453° C (2647° F)	Auto-ignition temperature:	Not Applicable
Boiling point / boiling range:	Not Applicable	Decomposition Temperature:	Not Applicable
Flash point:	Not Applicable	Viscosity:	Not Applicable
Evaporation rate:	Not Applicable	Oxidizing properties:	Not Applicable
Flammability (solid, gas):	Not Flammable	Explosion Data-Mechanical Impact:	Insensitive
Upper / Lower Flammability Limit-- Explosive Limits:	Not Applicable	Explosion Data-Static Discharge:	Insensitive

Coatalyte/Activator (Nickel Coatalyte #310-B):

Physical state:	Liquid	Vapour pressure:	As Water
Appearance	Liquid	Vapor density:	As Water
Color:	Green	Relative Density:	1.16
Odor:	No identifiable odor.	Solubility (in water):	Aqueous solution--soluble in water.
pH:	3.3	Partition coefficient: n-octanol/water:	As Water
Melting point / melting range:	< 0° C (< 32° F)	Auto-ignition temperature:	Not Applicable (aqueous solution)
Boiling point / boiling range:	> 100° C (> 212° F)	Decomposition Temperature:	Not Applicable (aqueous solution)
Flash point:	Not Applicable (aqueous solution)	Viscosity:	As Water
Evaporation rate:	As Water	Oxidizing properties:	Not Applicable
Flammability (solid, gas):	Not Flammable	Explosion Data-Mechanical Impact:	Insensitive
Upper / Lower Flammability Limit-- Explosive Limits:	Not Applicable (aqueous solution)	Explosion Data-Static Discharge:	Insensitive

10. STABILITY AND REACTIVITY

Reactivity:	None known.
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	On extreme heating beyond dryness: ammonium chloride fumes, metal oxides, sulfur oxides, ammonia fumes and/or HCl gas.
Conditions to avoid:	High heat. Mixing with incompatible materials.
Incompatible Materials:	Unknown
Hazardous decomposition products:	On extreme heating beyond dryness: ammonium chloride fumes, metal oxides, sulfur oxides, ammonia fumes and/or HCl gas.
Anode Reactivity:	RAPID Nickel Anodes are generally inert until used in the plating process with RAPID Nickel Coatalyte #310-B. During the plating process, the anode slowly dissolves and contributes nickel ions to the coatalyte replenishing the nickel plated onto the workpiece.

11. TOXICOLOGICAL INFORMATION

Toxic Levels:

Source	Chemical Name	LD50 (mg/kg)	LC50 (mg/M3)	IARC Listed	NTP Listed	OSHA Listed	ACGIH Carcinogenicity Listed
Anode	Nickel (Metal)	9000 OR Min Value Ryerson	Not Available	IARC lists Nickel Metal as 'Possibly Carcinogenic to Humans'.	NTP Lists Nickel Metal as 'Reasonably Anticipated to be Human Carcinogen'.	No	ACGIH lists elemental nickel as 'Not Suspected as a Human Carcinogen'.
Anode	Nickel Compounds, Soluble	Various	Not Available	IARC lists Nickel Compounds (as a group) as 'Carcinogenic to Humans'.	NTP Lists Nickel Compounds as 'Known to be Human Carcinogens'.	No	ACGIH lists soluble nickel compounds as 'Not Classifiable as a Human Carcinogen'.
Coat310B	Ammonium Citrate, Dibasic	Generally recognized as safe (Food Additive) 21 CFR 184.1140	2000 InhR (4Hr)	No	No	No	No

Source	Chemical Name	LD50 (mg/kg)	LC50 (mg/M3)	IARC Listed	NTP Listed	OSHA Listed	ACGIH Carcinogenicity Listed
Coat310B	Boric Acid	2660 OR	Not Available	No	No	No	ACGIH list Borate Compounds, Inorganic as 'Not Classifiable as a Human Carcinogen.'
Coat310B	Nickel Compounds, Soluble	Various	Not Available	IARC lists Nickel Compounds (as a group) as 'Carcinogenic to Humans'.	NTP Lists Nickel Compounds as 'Known to be Human Carcinogens'.	No	ACGIH lists soluble nickel compounds as 'Not Classifiable as a Human Carcinogen.'
Coat310B	Nickel Sulfate Hexahydrate	264 OR	Not Available	IARC lists Nickel Compounds (as a group) as 'Carcinogenic to Humans'.	NTP Lists Nickel Compounds as 'Known to be Human Carcinogens'.	No	ACGIH lists soluble nickel compounds as 'Not Classifiable as a Human Carcinogen.'
Coat310B	Sulfamic Acid	3160 OR	Not Available	No	No	No	No

Estimated Product LD50 (mg/kg) 2857.143

Note When the anode is used for normal selective plating, the backing/stem and sleeve are expected to be inert and not generate hazardous chemical products themselves.

EFFECTS OF ACUTE EXPOSURE	
Eye contact:	Potential for irritation or (in extreme cases) chemical burns.
Inhalation:	Mist can cause respiratory irritation.
Skin contact:	Potential for irritation or (in extreme cases) chemical burns.
Ingestion:	Potential for irritation or (in extreme cases) chemical burns.

EFFECTS OF CHRONIC EXPOSURE	
Target organs:	Nasal cavities, lungs, skin
Chronic Effects:	Skin contact with nickel compounds may cause sensitization or allergic reactions that may be accentuated by heat and humidity ('nickel itch').
Carcinogenicity:	Nickel salts have been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Discussions have centered on compounds taken internally or inhaled.
Mutagenicity:	Nickel compounds noted as mutagenic for mammalian somatic cells.
Reproductive Effects:	Nickel compounds may cause adverse reproductive effects.
Developmental Effects:	--
Teratogenicity:	Unknown
Embryotoxicity:	Unknown
Skin Sensitization:	Potential for sensitization dermatitis
Respiratory Sensitization:	Unknown
Toxicologically Synergistic Materials	Unknown

12. ECOLOGICAL INFORMATION

Specific Toxicity:

Chemical Name	Effect dose/concentration	Test duration	Species	Result/Evaluation	Method	Remark
Ammonium Citrate, Dibasic	No information found	-	-	-	-	Unknown
Boric Acid	EC50 115 mg/L	Unknown	Daphnia	EC50	Unknown	Unknown
Boric Acid	EC50 658-875 mg/L	Unknown	Daphnia	EC50	Unknown	Unknown
Boric Acid	LC50 5600 mg/L	Unknown	Gambusia affinis (Mosquitofish)	LC50	Unknown	Unknown
Nickel Sulfate Hexahydrate	No information found	-	-	-	-	-
Sulfamic Acid	LC50 70.3 mg/L	96 Hrs	Pimephales promelas (fathead minnow)	LC50	Unknown	Unknown

Persistence and degradability:	Unknown
Bioaccumulative potential:	Unknown
Mobility in soil:	Components are water soluble.
Results of PBT and vPvB Assessment:	None known.
Other adverse effects:	None known.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods: Comply with all national, regional and local regulations for ultimate disposal of acidic nickel waste solution. Can be neutralized with calcium oxide (lime) or sodium carbonate (soda ash).

14. TRANSPORT INFORMATION

Anode (Nickel Anode #530-B, 540-B, or 550-B):

Information List	US DOT	IATA
------------------	--------	------

Information List	US DOT	IATA
UN Number	N/A	N/A
Hazard Class	N/A	N/A
Packing Group	N/A	N/A
Proper Shipping Name	Not regulated by DOT	Not regulated by IATA.
Technical Name (if needed)		
Labels	N/A	N/A

Marine Pollutant	No
Special Precautions	None beyond those above.
Transport in Bulk	Not Applicable

Coatalyte/Activator (Nickel Coatalyte #310-B):

Information List	US DOT	IATA
UN Number	N/A	N/A
Hazard Class	N/A	N/A
Packing Group	N/A	N/A
Proper Shipping Name	Not regulated by DOT	Not regulated by IATA.
Technical Name (if needed)		
Labels	N/A	N/A

Marine Pollutant	No
Special Precautions	None beyond those above.
Transport in Bulk	Not Applicable

15. REGULATORY INFORMATION

Spill Notifications:	Notify local Safety Coordinators. If spill quantity warrants, notify appropriate government officials.
----------------------	--------------------------------------------------------------------------------------------------------

Safety, health and environmental regulations/legislation specific for the substance or mixture

US Federal:

Chemical Name	CAS	CERCLA RQ (lbs)	Section 302 EHS TPQ (lbs)	Section 304 EHS RQ (lbs)	Section 313	RCRA Code
Ammonium citrate, dibasic	3012-65-5	5,000	Not Listed	Not Listed	Not Listed	Not Listed
Boric Acid	10043-35-3	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Nickel	7440-02-0	100	Not Listed	Not Listed	313	Not Listed
Nickel Compounds	N495	CERCLA Class (No RQ)	Not Listed	Not Listed	313	Not Listed
Nickel sulfate	7786-81-4 (Anhydrous)/10101-97-0 (Hexahydrate)	100	Not Listed	Not Listed	313c	Not Listed
Sulfamic Acid	5329-14-6	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

FEDERAL: 'Superfund Amendments and Reauthorization Act (SARA) of 1986': This product contains a toxic chemical subject to Title III SARA, Section 313 and 40 CFR Part 372 toxic chemical release reporting requirements.

Canada:

Chemical Name	CAS	WHMIS Note	WHMIS Class
Ammonium Citrate	3012-65-5	Not Listed	Uncontrolled product according to WHMIS classification criteria.
Boric Acid	10043-35-3	Toxic, D2A; 0.1%	Very Toxic Material Causing Other Toxic Effects
Nickel (Metal)	7440-02-0	Toxic; D2A; 0.1%	-
Nickel Compounds	N495	Discl; 1%	-
Nickel Sulfate	7786-81-4 (Anhydrous)/10101-97-0 (Hexahydrate)	Toxic; D1B; D2A; D2B; 0.1%	D1B Toxic Material Causing Immediate and Serious Toxic Effects 1 acute lethality: LD50 oral (rat) = 176 mg/kg D2A Very Toxic Material Causing Other Toxic Effects 2 carcinogenicity: IARC Group 1 D2B Toxic Material Causing Other Toxic Effects 3
Sulfamic Acid	5329-14-6	Corrosive; E; 1%	E Corrosive Material 1 Transportation of Dangerous Goods: Class 8

California:

Chemical Name	CAS	CA Prop 65 Toxicity	CA Acutely Hazardous TQ	CA Hazardous Substance	CA Hazardous Note
Ammonium Citrate	3012-65-5	Not Listed	Not Listed	Listed	--
Boric Acid	10043-35-3	Not Listed	Not Listed	Not Listed	--
Nickel (Metal)	7440-02-0	cancer	Not Listed	Listed	3. An MSDS must be provided under the following circumstances: a) The metal is supplied as a fine powder. b) The metal is in welding or brazing rods. c) The metal may be melted with the generation of toxic fume. d) Under normal use toxic dust or fume is likely to be generated by any manufacturing process.
Nickel Compounds	N495	cancer	Not Listed	Not Listed	--
Nickel Sulfate	7786-81-4 (Anhydrous)/10101-97-0 (Hexahydrate)	Not Listed	Not Listed	Not Listed	--
Sulfamic Acid	5329-14-6	Not Listed	Not Listed	Not Listed	--

CALIFORNIA: 'Safe Drinking Water and Toxic Enforcement Act of 1986' (Proposition 65): WARNING: This product contains a chemical known to the State of California to cause cancer. Other listed chemicals may be present in the new/used product from trace amounts in the raw materials or by virtue of product use and contact with other materials.

16. OTHER INFORMATION

Key literature references and sources for data:
Centers for Disease Control and Prevention, NIOSH Pocket Guide to Chemical Hazards (05/18/2016)
Dudavari, Susan, Editor, The Merk Index (01/01/1989)
Sax, N. Irving, Dangerous Properties of Industrial Materials (01/01/1979)
ACGIH, 2013 TLVs and BEIs- (Threshold Limit Values for Chemical Substances in Work Air Adopted by ACGIH) (03/01/2013)
National Toxicology Program (USHHS/PHS), 14th Report on Carcinogens (11/03/2016)
IARC, Overall Evaluations of Carcinogenicity to Humans As evaluated in IARC Monographs Volumes 1-120 (05/17/2017)
EPA, Title III List of Lists: Consolidated List of Chemicals Subject to the Emergency Planning and Community Right-to-Know Act (EPCRA) and Section 112(r) of the Clean Air Act, As Amended (03/01/2015)
Code of Federal Regulations 29, Labor, Parts 1910.1000, SubPart Z
Code of Federal Regulations 40, Protection of the Environment
Code of Federal Regulations 49, Transportation
California Code of Regulations 22 Division 2, Safe Drinking Water and Toxic Enforcement Act of 1986", "Chemicals known to the State to Cause Cancer and Reproductive Toxicity (12/29/2017)
Toxicological Index Service, CSST, Classification according to WHMIS 1988 (12/13/2013)
Toxicological Index Service, CSST, WHMIS Disclosure list (Repealed 2/11/2015) (04/15/2014)
Canadian Centre for Occupational Health and Safety, Information Elements Required on a WHMIS 2015 Safety Data Sheet (SDS) (02/11/2015)
IATA, Dangerous Goods Regulations, 59th Edition (01/01/2018)
Various Chemical Suppliers, MSDS's which did not identify chemicals as hazardous
Canadian centre for Occupational Health and Safety, First Aid for Chemical Exposures (01/09/2017)
National Library of Medicine, TOXNET
National Capital Poison Center, First Aid for Poisons (12/31/2017)
Canadian Centre for Occupational Health and Safety, The Safety Data Sheet -- A Guide to First Aid Recommendations (01/02/2018)
SDS for Ammonium Citrate, Dibasic
SDS for Boric Acid
SDS for Nickel(II) Sulfate Heptahydrate
SDS for Sulfamic Acid Crystals

Disclaimer: This Material Data Sheet was prepared in accordance with US/Canadian guidelines. All information, recommendations and suggestions appearing herein concerning our product are based upon information and data believed to be reliable. However, it is the user's responsibility to determine the safety, toxicity and suitability of the product described herein for his/her own use. Since the actual use by others is beyond our control, no guarantees expressed or implied are made by Rapid Electroplating Process, Inc. as to the effects of such use, the results to be obtained, or the safety and toxicity of the product, nor does Rapid Electroplating Process, Inc. assume any liability arising out of use by others of the product referred to herein. Nor is the information herein to be construed absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.
Versions of this MSDS in languages other than English may have been translated by automated means (e.g., GOOGLE Translate™). Content of the non-English version should be confirmed by the user against the English version to ensure correct translation.

Edition Date: Jan 2018 **Prepared by:** R. F. Rapids